

JB4QA

"JBQA": CAJA SUMA ECUALIZADA, HASTA 4 CÉLULAS DE CARGA



Servicio de ventas y asistencia:

**WEIGHING SYSTEMS SOLUTIONS W.S.S. LTDA.**

CALLE 33 NO. 2C - 90 BARRIO PORVENIR - 760003 - SANTIAGO DE CALI - COLOMBIA

Tel. (2)- 3451223 - 488 8369

[contactos@wssltda.com](mailto:contactos@wssltda.com)

La solución ideal para  
las aplicaciones industriales  
avanzadas

## CARACTERÍSTICAS TÉCNICAS

- Carcasa de ABS. Grado de protección: IP67.
- Máxima tensión en entrada: 24Vdc.
- Máxima corriente en entrada: 700mA.
- Máximo señal célula en entrada: 1000mV.
- Efecto de la temperatura: 50ppm/°C.
- Dimensiones (lxwxh): 120x80x55mm.



www.diniargeo.com



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO  
FRANCE sarl  
Nogent-sur-Marne

DINI ARGEO  
GMBH  
Sinsheim - Germany

DINI ARGEO  
UK Ltd  
Taunton - United Kingdom

DINI ARGEO WEIGHING  
INSTRUMENTS Ltd  
Shanghai - China

DINI ARGEO  
WEIGHBRIDGES  
Calto (RO) – Italy



HEAD OFFICE  
Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena - Italy



**WEIGHING SYSTEMS SOLUTIONS W.S.S. LTDA.**

CALLE 33 NO. 2C - 90 BARRIO PORVENIR - 760003 - SANTIAGO DE CALI - COLOMBIA

Tel. (2)- 3451223 - 488 8369

contactos@wssltda.com

SALES AND TECHNICAL ASSISTANCE SERVICE